

BLADE IDDD LTX EPS



BLADE 600 LTX EPS



BLADE 600 SE.X EPS



BLADE 600 SL.X













Always stay in Ultimate Power with pure confidence.

Regardless Latest Model or classic design, whether equipped with power steering or 14-inch aluminum rim. With most powerful V-twin engine, Blade 1000 LT series can bring you with most exceptional performance on Earth.







BLADE 1000 LTX: The Most Spectacular-Looking Quad Bike

Equip with the most advance LED headlights and state of the art grill design.

The New Blade 1000 LTX will be the spot light among the all. The 1000 LTX series come with the plastic rack providing maximum durability and excellent loading capability.

Advanced Technology with Premium Equipment

Equipped with a 62kw (83 HP) powerful V-Twin Engine, controlled by class-leading engine management system. Blade 1000 features high ground clearance and adjustable suspension. With electric on-command 4WD/2WD and most durable CVT drive system will bring you excellent rider comfort on the toughest trial.







- >> Powerful V-Twin EFI Engine
- >> Four Wheel Independent Suspensions
- >> EVO (High Pressure Gas Internal) shock absorber EVOR (Piggyback Reservoir) shock absorber
- >> Sequential Drive Mode Shift
- >> Tri-Mode Dynamic Assistance Electronic Power
- >> Lockable Front & Rear Differentials
- >> High-Performance Four Wheel Disc Brakes
- >> Gear Shift: L/H/N/R/P
- >> Sporty Style Exhaust System
- >> LED Headlamps and Daytime Running Lights
- >> LED Turn Signals, Taillights & Brake Lights

- >> Multifunctional Blue Backlight LCD Display
- >> Stylish and Sturdy Plastic Rack
- >> Extended Seat
- >> Passenger Holders and Large Backrest
- >> 14" Polished Aluminum Rims
- >> Front Bumper
- >> Winch
- >> Lockable Storage Compartments
- >> 2 12V On-Board Sockets
- >> 52° Approach Angle
- >> Detachable Hitch Ball
- >> Quick Removable Radiator Grille





















BLADE 600 series equip with sophisticated EFI powertrain system. The on-command 4WD/2WD system can be activated by a push of the button. The electric power steering is specifically tuned for Blade 600 series. It provides the excellent control on the road and trail. Blade 600 series can be a best machine for your every adventure.





Work & play

No matter working in the farm or having a trial adventures with your family & friends. TGB Blade 600 LTX built with extended chassis providing bigger space for 2 passengers riding. It also equips with premium engine performance and on-command 4WD/2WD system. The all-purpose Blade 600 LTX will be your ideal partners for your next adventure.

Complete equipment for extra riding experience

Latest design full LED headlights, ergonomic seat, durable plastic rack, 14" aluminum rims, sportive exhaust, lockable storage box with 12V charger and much more. Blade 600 LTX is impeccable.







- >> Powerful Single-Cylinder EFI Engine
- >> Four Wheel Independent Suspensions
- >> Sequential Drive Mode Shift
- >> Tri-Mode Dynamic Assistance Electronic Power Steering
- >> Lockable Front&Rear Differential
- >> High-Performance Four Wheel Disc Brakes
- >> Gear Shift: L/H/N/R/P
- >> Sporty Style Exhaust System
- >> LED Headlamps and Daytime Running Lights
- >> LED Taillights & Brake Lights
- >> Multifunctional Blue Backlight LCD Display

- >> Stylish and Sturdy Plastic Rack
- >> Extended Seat
- >> Raised Passenger Footrest
- >> 14" Aluminum Rims
- >> Front Bumper
- >> Winch
- >> Lockable Storage Compartments
- >> 2 12V On-Board Sockets
- >> Detachable Hitch Ball
- >> Ouick Removable Radiator Grille

















The Toughest & Powerful ATV built for you

With new engineer inside out, Blade 600 SE.X equipped with powerful 32kW (43HP) electronic fuel injection engine, electric on-command lockable front and rear differential, excellent control power steering.

Unlock Any Road

Blade 600SE.X has been the most versatile ATV in the industry. With its latest engineering design full LED headlight, it will increase the visibility by lighting up work area or down on the trail. The new front grill innovation makes the cleaning more accessible. Over thousands of people trusted, The Blade 600SE.X is a chance for you to play more and do more.







- >> Powerful Single-Cylinder EFI Engine
- >> Four Wheel Independent Suspensions
- >> Sequential Drive Mode Shift
- >> Tri-Mode Dynamic Assistance Electronic Power Steering
- >> Lockable Front&Rear Differential
- >> High-Performance Four Wheel Disc Brakes
- >> Gear Shift: L/H/N/R/P
- >> Sporty Style Exhaust System
- >> LED Headlamps and Daytime Running Lights
- >> LED Taillights & Brake Lights
- >> Multifunctional Blue Backlight LCD Display

- >> Stylish and Sturdy Plastic Rack
- >> Raised Passenger Footrest
- >> 12" Aluminum Rims
- >> Front Bumper
- >> Winch
- >> Lockable Storage Compartments
- >> 2 12V On-Board Sockets
- >> Detachable Hitch Ball
- >> Quick Removable Radiator Grille











Candy Black

Candy Red



Touring and Exploring

Blade 600 SL.X is best suitable for any task and terrain.
With modern full LED Matrix headlights, upgraded CVT, high quality and durable chassis, and the powerful engine package, Blade 600 SL.X will be your everyday companion on the road, hill, and even the rough terrain.

Great value for money

The biggest spotlight of Blade 600 SL.X is its powerful engine. The ATV is built for the speed, tight concerning and nimble handling. With its powerful engine, loading and hauling on everyday job or every adventure trip can be easy and enjoyable. Blade 600 SL.X is well known for its configuration. The double arched A-arms and 4WD functions to bring you the confident on every terrain.







- >> Powerful Single-Cylinder EFI Engine
- >> Four Wheel Independent Suspensions
- >> Sequential Drive Mode Shift
- >> Tri-Mode Dynamic Assistance Electronic Power Steering
- >> Lockable Front Differential
- >> High-Performance Four Wheel Disc Brakes
- >> Gear Shift: L/H/N/R/P
- >> Sporty Style Exhaust System
- >> LED Headlamps and Daytime Running Lights
- >> LED Taillights & Brake Lights
- >> Multifunctional Blue Backlight LCD Display

- >> Robust Steel Luggage Rack
- >> Raised Passenger Footrest
- >> 12" Aluminum Rims
- >> Front Bumper
- >> Lockable Storage Compartments
- >> 2 12V On-Board Sockets
- >> Detachable Hitch Ball
- >> Quick Removable Radiator Grille























The Race Begins

TGB Target series come with 4WD and EPS will soon become your favorite sportive ATV. Design with black and yellow elements inspire its sporty DNA. The specialized redesign chassis is much stiffer and stronger.

With TGB powerful engine, it provides top level of stability and ultimate performance when you need.







- >> Powerful Single-Cylinder EFI Engine
- >> Four Wheel Independent Suspensions
- >> Sequential Drive Mode Shift
- >> Tri-Mode Dynamic Assistance Electronic Power Steering
- >> Lockable Front Differential
- >> High-Performance Four Wheel Disc Brakes
- >> Gear Shift: L/H/N/R/P
- >> Sporty Style Exhaust System
- >> Poly-Ellipsoid Headlamps
- >> LED Turn Signals, Taillights & Brake Lights
- >> Multifunctional Blue Backlight LCD Display

- >> Rear Plastic Rack (Sporty Style)
- >> Front Bumper
- >> Winch
- >> 12" Aluminum Rims
- >> 2 12V On-Board Sockets
- >> Detachable Hitch Ball

















The most stylish sporty ATV in the industry

TGB Target 600 will be the best choice for your sports ATV. With easy handling operation, state of arts double arch A-Arm optimized dive control and reduce the kickback.







- >> Powerful Single-Cylinder EFI Engine
- >> Four Wheel Independent Suspensions
- >> Sequential Drive Mode Shift
- >> Lockable Front Differential
- >> High-Performance Four Wheel Disc Brakes
- >> Gear Shift: L/H/N/R/P
- >> Sporty Style Exhaust System
- >> Poly-Ellipsoid Headlamps
- >> LED Turn Signals, Taillights & Brake Lights
- >> Multifunctional Blue Backlight LCD Display

- >> Rear Plastic Rack (Sporty Type)
- >> Front Bumper
- >> Winch
- >> 12" Aluminum Rims
- >> 2 12V On-Board Sockets
- >> Detachable Hitch ball









MODEL	Blade 1000 LTX EPS	Blade 600 LTX EPS	Blade 600 SE.X EPS
ENGINE & DRIVETRAIN			
Displacement	997 C.C. V-Twin	561 C.C.	561 C.C.
Engine Type	V-Twin Cylinder, SOHC	Single Cylinder, SOHC	Single Cylinder, SOHC
Fuel System	50 mm Throttle Body / EFI	42 mm Throttle Body / EFI	42 mm Throttle Body / EFI
Bore X Stroke	Ø 92 × 75.0 mm	Ø 95 × 79.2 mm	Ø 95 × 79.2 mm
Max Power	83HP / 7000rpm	44.8HP / 6500 rpm	44.8HP / 6500 rpm
Max Torque	89.9 Nm / 5500 rpm	46.5 Nm / 5500 rpm	46.5 Nm / 5500 rpm
Drive System	2WD / 4WD	2WD / 4WD	2WD / 4WD
Gear Selection	L/H/N/R/P	L/H/N/R/P	L/H/N/R/P
Transmission Front Differential	V-belt CVT Automatic	V-belt CVT Automatic	V-belt CVT Automatic
Poor Differential	YES	YES	YES
Rear Differential	YES	YES	YES
EPS	3 Mode EPS	3 Mode EPS	3 Mode EPS
SUSPENSION & BRAKES			
Front Suspension Rear Suspension	Double A-Arm with 22cm Travel	Double A-Arm with 22cm Travel	Double A-Arm with 22cm Travel
Rear Suspension	Double A-Arm with 26.5cm Travel & Anti-roll bar	Double A-Arm with 24cm Travel & Anti-roll bar	Double A-Arm with 24cm Travel & Anti-roll bar
Front Brake	ø 200 mm discs with 2-piston clipers	ø 200 mm discs with 1-piston clipers	ø 200 mm discs with 1-piston clipers(Hand brake)
Rear Brake	ø 190 mm discs with 1-piston clipers	ø 190 mm discs with 1-piston clipers	ø 190 mm discs with 1-piston clipers(Foot brake)
Shock absorber DIMENSIONS	EVO (red) (yellow)	Standard (blue)	Standard
DIMENSIONS		, ,	
Wheelbase (mm)	1460	1450	1290
Dimensions (mm) LxWxH	2340x1255x1265	2280x1230x1220	2120x1240x970
Dry weight (kg)	458	448	437
Fuel Canacity	23L	18L	18L
Fuel Capacity Ground Clearance (mm)	295	280	280
Seat Height (mm)	950	950	918
Front Tire	AT 26 × 9 - 14 MAXXIS BIG HORN	AT 26 × 9 - 14 MAXXIS BIG HORN	AT 25 × 8 - 12 6PLY KENDA BIG HORN
	AT 26 × 11 - 14 MAXXIS BIG HORN	AT 26 × 11 - 14 MAXXIS BIG HORN	AT 25 × 10 - 12 OPLY KENDA BIG HORN
Rear Tire wheel Rim			
Capacity	14" Alloy polished	14" Alloy Matt Black	mat black12"AL
Capacity Doccangor Canacity	า	1	1
Pessanger Capacity	2	2	1
Payload Capacity	270KG (595LB)	270KG (595LB)	270KG (595LB)
Hitch Towing Rating Hitch Vertical Max Load	Unbraked: 230KG / Interia brake: 830KG	Unbraked: 230KG / Interia brake: 830KG	Unbraked: 230KG / Interia brake: 830KG
Hitch Vertical Max Load	35KG	35KG	35KG
Front Rack Max Load	45KG	45KG	45KG
Rear Rack Max Load	75KG	75KG	75KG
INSTRUMENTS & EQUIPMI			
Front Rack	plastic	Standard Equipment-Plasitc	Standard Equipment-Plasitc
Rear Rack	plastic	Standard Equipment-Plasitc	Standard Equipment-Plasitc
Front Bumper	Robust stylish front bumper	Robust stylish front bumper	Standard Equiment-Steel
Rear Handle	YES	YES	YES
Rear Bumper	Optional	Optional	Optional
Hand Guard	YĖS	YĖS	YĖS
Hitch Receiver	2" receiver	2" receiver	2" receiver
Hitch Ball	Optional	Optional	Optional
Winch	Standard Equipment-3000LB Winch	Standard Equipment-3000LB Winch	Standard Equipment-3000LB Winch
Passenger seat	Standard equipment	Standard equipment Standard equipment	N/A
Passenger backrest	Standard equipment	Standard equipment	Optional
	Standard equipment	Standard equipment	N/A
Passenger holder			
Mirrors Windohiold	Optional	Optional	Optional
Windshield	Optional	Optional	Optional
Rear Cargo Box	Optional	Optional	Optional
Electrical Outlet Connector	1 DC 12V 10A 120W	1 DC 12V 10A 120W	1 DC 12V 10A 120W
Speedometer	Digital	Digital	Digital
Lighting	Whole LED Headlight & Taillight	Whole LED Headlight & Taillight	Whole LED Headlight & Taillight
Color			

377		
Blade 600 SL.X	Target 600 EPS	Target 600
	544.00	
561 C.C.	561 C.C.	561 C.C.
Single Cylinder, SOHC	Single Cylinder, SOHC	Single Cylinder, SOHC
42 mm Throttle Body / EFI	42 mm Throttle Body / EFI	42 mm Throttle Body / EFI
Ø 95 × 79.2 mm 44.8HP / 6500 rpm	Ø 95 x 79.2 mm	Ø 95 x 79.2 mm
	44.8HP / 6500 rpm	44.8HP / 6500 rpm
46.5 Nm / 5500 rpm 2WD / 4WD	46.5 Nm / 5500 rpm 2WD / 4WD	46.5 Nm / 5500 rpm 2WD / 4WD
L/H/N/R/P	L/H/N/R/P	L/H/N/R/P
V-belt CVT Automatic	V-belt CVT Automatic	V-belt CVT Automatic
YES	YES	YES
N/A	N/A	N/A
N/A	3 Mode EPS	N/A
Double A-Arm with 22cm Travel	Double A-Arm with 22cm Travel	Double A-Arm with 22cm Travel
Double A-Arm with 24cm Travel & Anti-roll bar	Double A-Arm with 24cm Travel & Anti-roll bar	Double A-Arm with 24cm Travel & Anti-roll bar
ø 200 mm discs with 1-piston clipers(Hand brake)	ø 200 mm discs with 1-piston clipers(Hand brake)	ø 200 mm discs with 1-piston clipers(Hand brake)
ø 190 mm discs with 1-piston clipers(Foot brake)	ø 190 mm discs with 1-piston clipers(Foot brake)	ø 190 mm discs with 1-piston clipers(Foot brake)
Standard	Standard	Standard
1200	1200	1200
1290 2120x1240x970	1290 1950x1050x1180	1290 1950x1050x1180
431	395KG	395KG
18L	18L	18L
280	280	280
918	950	950
AT 25 × 8 - 12 6PLY KENDA BIG HORN	AT 25 × 8 - 12 6PLY KENDA BIG HORN	AT 25 × 8 - 12 6PLY KENDA BIG HORN
AT 25 × 10 - 12 6PLY KENDA BIG HORN	AT 25 × 10 - 12 6PLY KENDA BIG HORN	AT 25 × 10 - 12 GPLY KENDA BIG HORN
mat black12"AL	mat black12"AL	mat black12"AL
1	1	1
270KG (595LB)	270KG (595LB)	270KG (595LB)
Unbraked: 230KG / Interia brake: 830KG	Unbraked: 230KG / Interia brake: 830KG	Unbraked: 230KG / Interia brake: 830KG
35KG	N/A	N/A
45KG	N/A	N/A
75KG	N/A	N/A
Chandard Equimont Chan	N/A	N/A
Standard Equiment-Steel	N/A N/A	N/A N/A
Standard Equiment-Steel Standard Equiment-Steel	Standard Equiment-Steel	N/A Standard Equiment-Steel
YES	N/A	N/A
Optional	N/A	N/A
YES	YES	YES
2" receiver	2" receiver	2" receiver
Optional	Optional	Optional
Optional 3000LB Winch	Standard Equipment-3000LB Winch	Optional 3000LB Winch
N/A	N/A	N/A
Optional	N/A	N/A
N/A	N/A	N/A
Optional	Optional	Optional
Optional	Optional	Optional
Optional	Optional	Optional
1 DC 12V 10A 120W	1 DC 12V 10A 120W	1 DC 12V 10A 120W
Digital	Digital	Digital
Whole LED Headlight & Taillight	Dual 55W High Beams, Dual 55W Low Beams	Dual 55W High Beams, Dual 55W Low Beams
White / Red	Matt Black	Pearl White


ACCESSORIES



Windshild



Hitch



Front Bumper



• Rear Bumper



